

FOUNT table - user instructions

This is the user manual for the FOUNT table.

We strongly recommend to read this user manual carefully before using this table for the first time and pay attention in particular to the safety precaution. It is recommended to keep this manual with the table. In case of damage or loss, please send a request for a copy.


1 Intended use

The FOUNT table is developed to use in an office environment. This table consists of a work surface which is mounted with a quick fix on a frame with the legs of your choice. You may have chosen for a sliding table top therefore the handlings are described in paragraph 2.

2 Instructions for operating the adjusting mechanisms

To open: Push the handle underneath the top in right direction to release and slightly pull table top forward until it locks with an opening of about 180 mm.


To close: Release the handle again and push the tabletop backward until it clicks into place, ready for further use



FOUNT table - user instructions

3 Leveling

All Techo FOUNT legs are fitted with leveling caps to compensate for unevenness in the floor.



4 Safety Precaution

We reduced all safety risks to a minimum. Before you use and/or move the table, please read the following safety precaution measures:

Sliding top:

-  3.1 Before pushing the top back in its work position assure that the sliding way is fully free and no person can be hurt by clamping in between.
-  3.2 Do not sit or stand on the tabletop in any "open" position on risk of damaging the table or personal injury.
-  3.3 Before operating the sliding mechanism remove all matters that can easily fall.

FOUNT table - user instructions

Lift and/or move table:



3.4 Do not lift up the entire table by holding the table top



3.5 Do not move the table by sliding



3.6 When you want to remove the table top, please unlock the four quick fix elements underneath the table top and then remove the table top.



3.7 Lift and move the table by holding the legs on the side



3.8 Don't forget when the table has been moved and the table top is placed, to lock the four quick fix elements

5

Maintenance and care

Maintenance:

The sliding mechanism including the handle mechanism do not need any maintenance.

Cleaning work surfaces:

Normal stains (coffee, tea, pencil, lipstick, finger marks, grease, water soluble glue, felt tip pen ink etc.) can be removed with a clean, damp cloth. If necessary, a little soft soap may be added to the water and a soft nylon brush may be used to treat more stubborn stains. Solvent-based lacquer, glue, nail varnish, ballpoint pen ink etc. should be removed with an organic solvent, such as methylated spirits.

Cleaning hard parts:

Use a microfibre cloth (dry or damp) to clean the hard parts. Small quantities of cleaning agent can be used.

Cleaning plastic parts:

A damp cloth or commercially available plastic cleaner are suitable for cleaning. Please do not use aggressive detergents.

End of usage:

This table is made of high quality materials and components that can be recycled and reused. Do not dispose of any parts in the household waste. Follow local laws and regulations.